

## APPENDIX F: EXAMINATION SINGLE HERB LIST

Herbs included on this list will provide the basis for single herb questions used on the examination. Herb nomenclature are taken from Chen and Chen's *Chinese Medical Herbology and Pharmacology*, 2004 and Bensky, Clavey, and Stoger's *Chinese Herbal Medicine: Materia Medica*, 2004. These herbs are listed in the reference materials, but are not endorsed as safe by the Department of Consumer Affairs, the Acupuncture Board, or the Federal Food and Drug Administration.

PINYIN	CHINESE	LATIN PHARMACEUTICAL
Ai Ye	艾葉	<i>Artemisiae Argyi, Folium</i>
Ba Ji Tian	巴戟天	<i>Morindae Officinalis, Radix</i>
Bai Bian Dou	白扁豆	<i>Lablab Semen album</i>
Bai Bu	百部	<i>Stemona, Radix</i>
Bai Guo	白果	<i>Ginkgo, Semen</i>
Bai He	百合	<i>Lilii, Bulbus</i>
Bai Jiang Cao	敗醬草	<i>Patriniae, Herba cum Radice</i>
Bai Jie Zi	芥子	<i>Sinapis, Semen</i>
Bai Mao Gen	白茅根	<i>Imperatae, Rhizoma</i>
Bai Qian	白前	<i>Cynanchi Stauntonii, Radix et Rhizoma</i>
Bai Shao	白芍	<i>Paeoniae Alba, Radix</i>
Bai Tou Weng	白頭翁	<i>Pulsatillae, Radix</i>
Bai Wei	白薇	<i>Cynanchi Atrati, Radix et Rhizoma</i>
Bai Zhi	白芷	<i>Angelicae Dahuricae, Radix</i>
Bai Zhu	白朮	<i>Atractylodis Macrocephalae, Rhizoma</i>
Bai Zi Ren	柏子仁	<i>Platycladi, Semen</i>
Ban Lan Gen	板藍根	<i>Isatidis, Radix</i>
Ban Xia	半夏	<i>Pinelliae, Rhizoma</i>
Bei Mu	貝母	<i>Fritillariae, Bulbus</i>
Bei Sha Shen	北沙參	<i>Glehniae, Radix</i>
Bi Bo	萹苳	<i>Piperis Longi, Fructus</i>
Bian Xu	篇蓄	<i>Polygoni Avicularis, Herba</i>
Bie Jia	鼈甲	<i>Trionycis, Carapax</i>
Bo He	薄荷	<i>Menthae, Herba</i>

**APPENDIX F: EXAMINATION SINGLE HERB LIST**

<b>PINYIN</b>	<b>CHINESE</b>	<b>LATIN PHARMACEUTICAL</b>
Bu Gu Zhi	補骨脂	<i>Psoraleae, Fructus</i>
Cang Er Zi	蒼耳子	<i>Xanthii, Fructus</i>
Cang Zhu	蒼朮	<i>Atractylodis, Rhizoma</i>
Cao Dou Kou	草豆蔻	<i>Alpiniae Katsumadai, Semen</i>
Cao Guo	草果	<i>Amomi Tsaoko, Fructus</i>
Cao Wu	草烏	<i>Aconiti Kusnezoffii, Radix</i>
Ce Bai Ye	側柏葉	<i>Platycladi, Cacumen</i>
Chai Hu	柴胡	<i>Bupleuri, Radix</i>
Chan Tui	蟬蛻	<i>Cicadae, Periostracum</i>
Che Qian Zi	車前子	<i>Plantaginis, Semen</i>
Chen Pi	陳皮	<i>Citri Reticulatae, Pericarpium</i>
Chen Xiang	沉香	<i>Aquilariae Resinatum, Lignum</i>
Chi Shao	赤芍	<i>Paeoniae Rubrae, Radix</i>
Chi Shi Zhi	赤石脂	<i>Halloysitum Rubrum</i>
Chuan Bei Mu	川貝母	<i>Fritillariae Cirrhosae, Bulbus</i>
Chuan Lian Zi	川楝子	<i>Meliae Toosendan, Fructus</i>
Chuan Mu Tong	川木通	<i>Clematidis Armandii, Caulis</i>
Chuan Niu Xi	川牛膝	<i>Cyathulae, Radix</i>
Chuan Xiong	川芎	<i>Chuanxiong, Radix</i>
Chun Pi	椿皮	<i>Ailanthi, Cortex</i>
Ci Shi	磁石	<i>Magnetitum</i>
Da Fu Pi	大腹皮	<i>Arecae, Pericarpium</i>
Da Huang	大黃	<i>Radix et Rhizoma Rhei</i>
Da Ji	大戟	<i>Euphorbiae seu Knoxiae, Radix</i>
Da Zao	大棗	<i>Jujubae, Fructus</i>
Dan Dou Chi	淡豆豉	<i>Sojae Praeparatum, Semen</i>
Dan Nan Xing	膽南星	<i>Arisaema cum Bile</i>
Dan Shen	丹蔘	<i>Salviae Miltiorrhizae, Radix et Rhizoma</i>

**APPENDIX F: EXAMINATION SINGLE HERB LIST**

<b>PINYIN</b>	<b>CHINESE</b>	<b>LATIN PHARMACEUTICAL</b>
Dan Zhu Ye	淡竹葉	<i>Lophatheri, Herba</i>
Dang Gui	當歸	<i>Angelicae Sinensis, Radix</i>
Dang Shen	黨參	<i>Codonopsitis, Radix</i>
Deng Xin Cao	燈心草	<i>Junci, Medulla</i>
Di Fu Zi	地膚子	<i>Kochiae, Fructus</i>
Di Gu Pi	地骨皮	<i>Lycii, Cortex</i>
Di Huang	地黃	<i>Rehmanniae, Radix</i>
Di Long	地龍	<i>Pheretima</i>
Di Yu	地榆	<i>Sanguisorbae, Radix</i>
Ding Xiang	丁香	<i>Caryophylli, Flos</i>
Dong Gua Zi	冬瓜子	<i>Benincasae, Semen</i>
Dong Kui Zi	冬葵子	<i>Malvae, Semen</i>
Dou Kou	豆蔻	<i>Amomi Rotundus, Fructus</i>
Du Huo	獨活	<i>Angelicae Pubescentis, Radix</i>
Du Zhong	杜沖	<i>Eucommiae, Cortex</i>
E Jiao	阿膠	<i>Asini, Colla Corii</i>
E Zhu	莪朮	<i>Curcumae, Rhizoma</i>
Fang Feng	防風	<i>Saposhnikoviae, Radix</i>
Fang Ji	防己	<i>Stephaniae Tetrandrae, Radix</i>
Fen Bi Xie	粉萆薢	<i>Dioscoreae Hypoglaucae, Rhizoma</i>
Fu Ling	茯苓	<i>Poriae</i>
Fu Pen Zi	覆盆子	<i>Rubi, Fructus</i>
Fu Xiao Mai	浮小麥	<i>Tritici Levis, Fructus</i>
Fu Zi	附子	<i>Aconiti Lateralis Preparata, Radix</i>
Gan Cao	甘草	<i>Glycyrrhizae, Radix et Rhizoma</i>
Gan Jiang	乾薑	<i>Zingiberis, Rhizoma</i>
Gao Ben	藁本	<i>Ligustici, Rhizoma et Radix</i>
Gao Liang Jiang	高良薑	<i>Alpiniae Officinari, Rhizoma</i>

**APPENDIX F: EXAMINATION SINGLE HERB LIST**

<b>PINYIN</b>	<b>CHINESE</b>	<b>LATIN PHARMACEUTICAL</b>
Ge Gen	葛根	<i>Puerariae Lobatae, Radix</i>
Gou Ji	拘脊	<i>Cibotii, Rhizoma</i>
Gou Qi Zi	枸杞子	<i>Lycii, Fructus</i>
Gou Teng	鉤藤	<i>Uncariae cum Uncis, Ramulus</i>
Gu Sui Bu	骨碎補	<i>Drynariae, Rhizoma</i>
Gu Ya	穀芽	<i>Sativae Germinantus, Fructus</i>
Gua Lou Pi	瓜蒌皮	<i>Trichosanthis, Pericarpium</i>
Gua Lou Zi	瓜蒌子	<i>Trichosanthis, Semen</i>
Guang Huo Xiang	廣藿香	<i>Pogostemonis, Herba</i>
Gui Ban	龜板	<i>Testudinis, Plastrum</i>
Gui Ban Jiao	龜板膠	<i>Testudinis, Gelatinum Plastrum</i>
Gui Zhi	桂枝	<i>Cinnamomi, Ramulus</i>
Hai Piao Xiao	海螵蛸	<i>Sepiae, Endoconcha</i>
Hai Tong Pi	海桐皮	<i>Erythrinae, Cortex</i>
Hai Zao	海藻	<i>Sargassum</i>
He Ye	荷葉	<i>Nelumbinis, Folium</i>
He Zi	訶子	<i>Chebulae, Fructus</i>
Hei Zhi Ma	黑芝麻	<i>Sesami Nigrum, Semen</i>
Hong Hua	紅花	<i>Carthami, Flos</i>
Hou Po	厚朴	<i>Magnoliae Officinalis, Cortex</i>
Hu Jiao	胡椒	<i>Piperis, Fructus</i>
Hu Tao Ren	胡桃仁	<i>Juglandis, Semen</i>
Hua Jiao	花椒	<i>Zanthoxyli, Pericarpium</i>
Hua Shi	滑石	<i>Talcum</i>
Huai Hua Mi	槐花米	<i>Sophorae Japonicae Immaturus, Flos</i>
Huang Bo	黃蘗	<i>Phellodendri Chinensis, Cortex</i>
Huang Lian	黃連	<i>Coptidis, Rhizoma</i>
Huang Qi	黃耆	<i>Astragali, Radix</i>

**APPENDIX F: EXAMINATION SINGLE HERB LIST**

<b>PINYIN</b>	<b>CHINESE</b>	<b>LATIN PHARMACEUTICAL</b>
Huang Qin	黃芩	<i>Scutellariae, Radix</i>
Huo Ma Ren	火麻仁	<i>Cannabis, Fructus</i>
Huo Xiang	藿香	<i>Agastaches, Herba</i>
Ji Li	蒺藜	<i>Tribuli, Fructus</i>
Ji Nei Jin	鷄內金	<i>Corneum Gigeriae Galli, Endothelium</i>
Ji Zi Huang	雞子黃	<i>Galli Vitellus</i>
Jiang Huang	薑黃	<i>Curcumae longae, Rhizoma</i>
Jie Geng	桔梗	<i>Platycodi, Radix</i>
Jin Qian Bai Hua She	金錢白花蛇	<i>Bungarus Parvus</i>
Jin Yin Hua	金銀花	<i>Lonicerae Japonicae, Flos</i>
Jin Ying Zi	金櫻子	<i>Rosae Laevigatae, Fructus</i>
Jing Jie	荊芥	<i>Schizonepetae, Herba</i>
Jing Mi	粳米	<i>Nonglutinous Rice</i>
Ju Hong	橘紅	<i>Citri Erythrocarpae, Pars Rubra Epicarpium</i>
Ju Hua	菊花	<i>Chrysanthemi, Flos</i>
Jue Ming Zi	決明子	<i>Cassiae, Semen</i>
Ku Shen	苦參	<i>Sophorae Flavescentis, Radix</i>
Ku Xing Ren	苦杏仁	<i>Armeniaca Amarum, Semen</i>
Lai Fu Zi	萊菔子	<i>Raphani, Semen</i>
Lian Qiao	蓮翹	<i>Forsythiae, Fructus</i>
Lian Xu	蓮鬚	<i>Nelumbinis, Stamen</i>
Lian Zi	蓮子	<i>Nelumbinis, Semen</i>
Long Dan	龍膽	<i>Gentianae, Radix</i>
Long Gu	龍骨	<i>Draconis, Os</i>
Long Yan Rou	龍眼肉	<i>Longanae, Arillus</i>
Lu Gen	蘆根	<i>Phragmitis, Rhizoma</i>
Lu Hui	蘆薈	<i>Aloes</i>
Lu Jiao Jiao	鹿角膠	<i>Cervi Colla Cornus</i>

**APPENDIX F: EXAMINATION SINGLE HERB LIST**

<b>PINYIN</b>	<b>CHINESE</b>	<b>LATIN PHARMACEUTICAL</b>
Lu Rong	鹿茸	<i>Cervi Pantotrichum, Cornu</i>
Mai Dong	麥冬	<i>Ophiopogonis, Tuber</i>
Mai Ya	麥芽	<i>Hordei Germinantus, Fructus</i>
Man Jing Zi	蔓荊子	<i>Viticis, Fructus</i>
Mang Xiao	芒硝	<i>Natrii Sulfas</i>
Mo Yao	沒藥	<i>Myrrha</i>
Mu Dan Pi	牡丹皮	<i>Moutan, Cortex</i>
Mu Gua	木瓜	<i>Chaenomelis, Fructus</i>
Mu Li	牡蠣	<i>Ostreae, Concha</i>
Mu Tong	木通	<i>Akebiae, Caulis</i>
Mu Zei	木賊	<i>Equiseti Hiemalis, Herba</i>
Nan Sha Shen	南沙參	<i>Adenophorae, Radix</i>
Niu Bang Zi	牛蒡子	<i>Arctii, Fructus</i>
Niu Huang	牛黃	<i>Bovis, Calculus</i>
Niu Xi	牛膝	<i>Achyranthis Bidentatae, Radix</i>
Nu Zhen Zi	女貞子	<i>Ligustri Lucidi, Fructus</i>
Pao Jiang	炮薑	<i>Zingiberis Preparatum, Rhizoma</i>
Pi Pa Ye	枇杷葉	<i>Eriobotryae, Folium</i>
Pu Gong Ying	蒲公英	<i>Taraxaci, Herba</i>
Pu Huang	蒲黃	<i>Typhae, Pollen</i>
Qian Cao	茜草	<i>Rubiae, Radix et Rhizoma</i>
Qian Hu	前胡	<i>Peucedani, Radix</i>
Qian Shi	芡實	<i>Euryales, Semen</i>
Qiang Huo	羌活	<i>Notopterygii, Rhizoma et Radix</i>
Qin Jiao	秦艽	<i>Gentianae Macrophyllae, Radix</i>
Qin Pi	秦皮	<i>Fraxini Cortex</i>
Qing Hao	青蒿	<i>Artemisiae Annuae, Herba</i>
Qing Pi	青皮	<i>Citri Reticulatae Viride, Pericarpium</i>

**APPENDIX F: EXAMINATION SINGLE HERB LIST**

<b>PINYIN</b>	<b>CHINESE</b>	<b>LATIN PHARMACEUTICAL</b>
Qu Mai	瞿麥	<i>Dianthi, Herba</i>
Ren Shen	人蔘	<i>Ginseng, Radix et Rhizoma</i>
Rou Dou Kou	肉豆蔻	<i>Myristicae Fragrantis, Semen</i>
Rou Gui	肉桂	<i>Cinnamomi, Cortex</i>
Ru Xiang	乳香	<i>Olibanum, Gummi</i>
San Leng	三稜	<i>Sparganii, Rhizoma</i>
San Qi	三七	<i>Notoginseng, Radix</i>
Sang Bai Pi	桑白皮	<i>Mori, Cortex</i>
Sang Ji Sheng	桑寄生	<i>Taxilli, Herba</i>
Sang Shen	桑椹	<i>Mori, Fructus</i>
Sang Ye	桑葉	<i>Mori, Folium</i>
Sang Zhi	桑枝	<i>Mori, Ramulus</i>
Sha Ren	砂仁	<i>Amomi, Fructus</i>
Sha Yuan Zi	沙苑子	<i>Astragali Complanati, Semen</i>
Shan Dou Gen	山豆根	<i>Sophorae Tonkinensis, Radix et Rhizoma</i>
Shan Yao	山藥	<i>Dioscoreae, Radix</i>
Shan Zha	山楂	<i>Crataegi, Fructus</i>
Shan Zhu Yu	山茱萸	<i>Corni, Fructus</i>
She Chuang Zi	蛇床子	<i>Cnidii, Fructus</i>
She Gan	射干	<i>Belamcandae, Rhizoma</i>
Shen Qu	神麴	<i>Massa Fermentata</i>
Sheng Jiang	生薑	<i>Zingiberis Recens, Rhizoma</i>
Sheng Jiang Pi	生薑皮	<i>Zingiberis Recens, Cortex</i>
Sheng Ma	升麻	<i>Rhizoma Cimicifugae</i>
Shi Gao	石膏	<i>Gypsum Fibrosum</i>
Shi Jue Ming	石決明	<i>Haliotidis, Concha</i>
Shi Wei	石葦	<i>Pyrrosiae, Folium</i>
Shou Wu Teng	首烏藤	<i>Polygoni Multiflori, Caulis</i>

**APPENDIX F: EXAMINATION SINGLE HERB LIST**

<b>PINYIN</b>	<b>CHINESE</b>	<b>LATIN PHARMACEUTICAL</b>
Shu Di Huang	熟地黄	<i>Rehmanniae Praeparata, Radix</i>
Shui Niu Jiao	水牛角	<i>Bubali, Cornu</i>
Suan Zao Ren	酸枣仁	<i>Zizyphi Spinosae, Semen</i>
Suo Yang	鎖陽	<i>Cynomorii, Herba</i>
Tan Xiang	檀香	<i>Santali Albi Lignum</i>
Tao Ren	桃仁	<i>Persicae, Semen</i>
Tian Dong	天冬	<i>Asparagi, Radix</i>
Tian Hua Fen	天花粉	<i>Trichosanthis, Radix</i>
Tian Nan Xing	天南星	<i>Arisaematis, Rhizoma</i>
Tu Fu Ling	土茯苓	<i>Smilacis Glabrae, Rhizoma</i>
Tu Si Zi	菟絲子	<i>Cuscutae, Semen</i>
Wang Bu Liu Xing	王不留行	<i>Vaccariae, Semen</i>
Wei Ling Xian	威靈仙	<i>Clematidis, Radix et Rhizoma</i>
Wu Jia Pi	五加皮	<i>Acanthopanacis , Cortex</i>
Wu Mei	烏梅	<i>Mume, Fructus</i>
Wu Wei Zi	五味子	<i>Schisandrae Chinensis, Fructus</i>
Wu Yao	烏藥	<i>Linderae, Radix</i>
Wu Zhu Yu	吳茱萸	<i>Evodiae, Fructus</i>
Xi Xian Cao	豨薟草	<i>Siegesbeckiae, Herba</i>
Xia Ku Cao	夏枯草	<i>Prunellae, Spica</i>
Xian He Cao	仙鶴草	<i>Agrimoniae, Herba</i>
Xian Mao	仙茅	<i>Curculiginis, Rhizoma</i>
Xiang Fu	香附	<i>Cyperi, Rhizoma</i>
Xiang Ru	香薷	<i>Moslae, Herba</i>
Xiao Hui Xiang	小茴香	<i>Foeniculi, Fructus</i>
Xin Yi Hua	辛夷花	<i>Magnoliae, Flos</i>
Xu Duan	續斷	<i>Dipsaci, Radix</i>
Xuan Fu Hua	旋覆花	<i>Inulae, Flos</i>



**APPENDIX F: EXAMINATION SINGLE HERB LIST**

<b>PINYIN</b>	<b>CHINESE</b>	<b>LATIN PHARMACEUTICAL</b>
Xuan Shen	玄蔘	<i>Scrophulariae, Radix</i>
Yan Hu Suo	延胡索	<i>Corydalis, Rhizoma</i>
Yi Mu Cao	益母草	<i>Leonuri, Herba</i>
Yi Tang	飴糖	<i>Maltosum</i>
Yi Yi Ren	薏苡仁	<i>Coicis, Semen</i>
Yi Zhi	益智	<i>Alpiniae Oxyphyllae, Fructus</i>
Yin Chen	茵陳	<i>Artemisiae Scopariae, Herba</i>
Yin Yang Huo	淫羊藿	<i>Epimedii, Herba</i>
Yu Jin	鬱金	<i>Curcumae, Tuber</i>
Yuan Zhi	遠志	<i>Polygalae, Radix</i>
Ze Lan	澤蘭	<i>Lycopi, Herba</i>
Ze Xie	澤瀉	<i>Alismatis, Rhizoma</i>
Zhe Bei Mu	浙貝母	<i>Fritillariae Thunbergii, Bulbus</i>
Zhe Shi	赭石	<i>Haematitum</i>
Zhen Zhu	珍珠	<i>Margarita</i>
Zhi Cao Wu	制草烏	<i>Aconiti Kusnezoffii Praeparata, Radix</i>
Zhi Gan Cao	炙甘草	<i>Glycyrrhizae Praeparata cum Melle, Radix et Rhizoma</i>
Zhi Mu	知母	<i>Anemarrhenae, Rhizoma</i>
Zhi Qiao	枳殼	<i>Aurantii, Fructus</i>
Zhi Shi	枳實	<i>Aurantii, Fructus Immaturus</i>
Zhi Zi	梔子	<i>Gardeniae, Fructus</i>
Zhu Ling	豬苓	<i>Polyporus</i>
Zhu Ru	竹茹	<i>Bambusae in Taeniis, Caulis</i>
Zi Su Ye	紫蘇葉	<i>Perillae, Folium</i>
Zi Su Zi	紫蘇子	<i>Perillae Frutescentis, Fructus</i>
Zi Wan	紫菀	<i>Asteris, Radix et Rhizoma</i>

## APPENDIX G: EXAMINATION HERBAL FORMULAS LIST

Herbal formulas included on this list will provide the basis for herbal formula questions used on the examination. Herbal formula nomenclature and formula ingredients are taken from Chen and Chen's *Chinese Herbal Formulas and Applications: Pharmacological Effects and Clinical Research*, 2009 and Scheid, Bensky, Ellis, and Barolet's *Chinese Herbal Medicine: Formulas and Strategies*, 2009. The formulas presented here are listed in the reference material but are not endorsed as safe by the Department of Consumer Affairs, the Acupuncture Board, or the Federal Food and Drug Administration.

ENGLISH TRANSLATION	PINYIN	CHINESE
<i>Formulas that Release the Exterior</i>	<i>Jie Biao Ji</i>	<b>解表劑</b>
Bupleurum and Kudzu Decoction to Release the Muscle Layer	Chai Ge Jie Ji Tang	<b>柴葛解肌湯</b>
Cinnamon Twig Decoction	Gui Zhi Tang	<b>桂枝湯</b>
Ginseng Powder to Overcome Pathogenic Influences	Ren Shen Bai Du San	<b>人蔘敗毒散</b>
Honeysuckle and Forsythia Powder	Yin Qiao San	<b>銀翹散</b>
Mulberry Leaf and Chrysanthemum Decoction	Sang Ju Yin	<b>桑菊飲</b>
<i>Formulas that Clear Heat</i>	<i>Qing Re Ji</i>	<b>清熱劑</b>
Artemisia Annuum and Soft-shelled Turtle Shell Decoction	Qing Hao Bie Jia Tang	<b>青蒿鱉甲湯</b>
Clear the Stomach Powder	Qing Wei San	<b>清胃散</b>
Coptis Decoction to Relieve Toxicity	Huang Lian Jie Du Tang	<b>黃蓮解毒湯</b>
Drain the Epigastrium Decoction	Xie Xin Tang	<b>瀉心湯</b>
Gentiana Decoction to Drain the Liver	Long Dan Xie Gan Tang	<b>龍膽瀉肝湯</b>
Guide Out the Red Powder	Dao Chi San	<b>導赤散</b>
Pulsatilla Decoction	Bai Tou Weng Tang	<b>白頭翁湯</b>
White Tiger Decoction	Bai Hu Tang	<b>白虎湯</b>

**APPENDIX G: EXAMINATION HERBAL FORMULAS LIST**

<b>ENGLISH TRANSLATION</b>	<b>PINYIN</b>	<b>CHINESE</b>
<i>Formulas that Drain Downward</i>	<i>Xie Xia Ji</i>	<b>瀉下劑</b>
Hemp Seed Pill	Ma Zi Ren Wan	麻子仁丸
Major Order the Qi Decoction	Da Cheng Qi Tang	大承氣湯
Minor Order the Qi Decoction	Xiao Cheng Qi Tang	小承氣湯
Moisten the Intestines Pill	Run Chang Wan	潤腸丸
Regulate the Stomach and Order the Qi Decoction	Tiao Wei Cheng Qi Tang	調胃承氣湯
<i>Formulas that Harmonize</i>	<i>He Jie Ji</i>	<b>和解劑</b>
Frigid Extremities Powder	Si Ni San	四逆散
Minor Bupleurum Decoction	Xiao Chai Hu Tang	小柴胡湯
Pinellia Decoction to Drain the Epigastrium	Ban Xia Xie Xin Tang	半夏瀉心湯
Rambling Powder	Xiao Yao San	逍遙散
<i>Formulas that Expel Dampness</i>	<i>Qu Shi Ji</i>	<b>祛濕劑</b>
Agastache Powder to Rectify the Qi	Huo Xiang Zheng Qi San	藿香正氣散
Calm the Stomach Powder	Ping Wei San	平胃散
Eight-Herb Powder for Rectification	Ba Zheng San	八正散
Five-Ingredient Powder with Poria	Wu Ling San	五苓散
Five-Peel Powder	Wu Pi San	五皮散
Polyporus Decoction	Zhu Ling Tang	豬苓湯

**APPENDIX G: EXAMINATION HERBAL FORMULAS LIST**

<b>ENGLISH TRANSLATION</b>	<b>PINYIN</b>	<b>CHINESE</b>
Remove Painful Obstruction Decoction	Juan Bi Tang	蠲痺湯
True Warrior Decoction	Zhen Wu Tang	真武湯
<i>Formulas that Treat Dryness</i>	<i>Zhi Zhao Ji</i>	<i>治燥劑</i>
Apricot Kernel and Perilla Leaf Powder	Xing Su San	杏蘇散
Lily Bulb Decoction to Preserve the Metal	Bai He Gu Jin Tang	百合固金湯
Ophiopogonis Decoction	Mai Men Dong Tang	麥門冬湯
<i>Formulas that Warm Interior Cold</i>	<i>Wen Li Ji</i>	<i>溫裏劑</i>
Evodia Decoction	Wu Zhu Yu Tang	吳茱萸湯
Frigid Extremities Decoction	Si Ni Tang	四逆湯
Major Construct the Middle Decoction	Da Jian Zhong Tang	大建中湯
Minor Construct the Middle Decoction	Xiao Jian Zhong Tang	小建中湯
Regulate the Middle Pill	Li Zhong Wan	理中丸
<i>Formulas that Tonify</i>	<i>Bu Yi Ji</i>	<i>補益劑</i>
All-Inclusive Great Tonifying Decoction	Shi Quan Da Bu Tang	十全大補湯
Eight-Treasure Decoction	Ba Zhen Tang	八珍湯
Four-Gentlemen Decoction	Si Jun Zi Tang	四君子湯
Four-Substance Decoction	Si Wu Tang	四物湯
Generate the Pulse Powder	Sheng Mai San	生脈散
Ginseng, Poria, and White Atractylodes Powder	Shen Ling Bai Zhu San	參苓白朮散

**APPENDIX G: EXAMINATION HERBAL FORMULAS LIST**

ENGLISH TRANSLATION	PINYIN	CHINESE
Kidney Qi Pill from the <i>Golden Cabinet</i>	Jin Gui Shen Qi Wan	金櫃腎氣丸
Restore the Left [Kidney] Pill	Zuo Gui Wan	左歸丸
Restore the Right [Kidney] Pill	You Gui Wan	右歸丸
Restore the Spleen Decoction	Gui Pi Tang	歸脾湯
Six-Ingredient Pill with Rehmannia	Liu Wei Di Huang Wan	六味地黃丸
Tangkuei Decoction to Tonify the Blood	Dang Gui Bu Xue Tang	當歸補血湯
Tonify the Middle and Augment the Qi Decoction	Bu Zhong Yi Qi Tang	補中益氣湯
<i>Formulas that Treat Phlegm</i>	<i>Qu Tan Ji</i>	<i>祛痰劑</i>
Clear the Qi and Transform Phlegm Pill	Qing Qi Hua Tan Wan	清氣化痰丸
Fritillaria and Trichosanthes Fruit Powder	Bei Mu Gua Lou San	貝母瓜蒌散
Pinellia, Atractylodis Macrocephalae, and Gastrodia Decoction	Ban Xia Bai Zhu Tian Ma Tang	半夏白朮天麻湯
Stop Coughing Powder	Zhi Sou San	止嗽散
Two-Cured Decoction	Er Chen Tang	二陳湯
Warm the Gallbladder Decoction	Wen Dan Tang	溫膽湯
<i>Formulas that Regulate the Qi</i>	<i>Li Qi Ji</i>	<i>理氣劑</i>
Escape Restraint Pill	Yue Ju Wan	越鞠丸
Perilla Fruit Decoction for Directing Qi Downward	Su Zi Jiang Qi Tang	蘇子降氣湯
Pinellia and Magnolia Bark Decoction	Ban Xia Hou Po Tang	半夏厚朴湯

**APPENDIX G: EXAMINATION HERBAL FORMULAS LIST**

<b>ENGLISH TRANSLATION</b>	<b>PINYIN</b>	<b>CHINESE</b>
Tangerine Peel and Bamboo Shavings Decoction	Ju Pi Zhu Ru Tang	橘皮竹茹湯
<i>Formulas that Invigorate the Blood</i>	<i>Huo Xue Ji</i>	<i>活血劑</i>
Cinnamon Twig and Poria Pill	Gui Zhi Fu Ling Wan	桂枝茯苓丸
Drive Out Stasis in the Mansion of Blood Decoction	Xue Fu Zhu Yu Tang	血府逐瘀湯
Generating and Transforming Decoction	Sheng Hua Tang	生化湯
Peach Pit Decoction to Order the Qi	Tao He Cheng Qi Tang	桃核承氣湯
Salvia Drink	Dan Shen Yin	丹參飲
Warm the Menses Decoction	Wen Jing Tang	溫經湯
<i>Formulas that Stop Bleeding</i>	<i>Zhi Xue Fang</i>	<i>止血方</i>
Ass-Hide Gelatin and Mugwort Decoction	Jiao Ai Tang	膠艾湯
Sophora Japonica Flower Powder	Huai Hua San	槐花散
<i>Formulas that Calm the Spirit</i>	<i>An Shen Ji</i>	<i>安神劑</i>
Coptis and Ass-Hide Gelatin Decoction	Huang Lian E Jiao Tang	黃連阿膠湯
Licorice, Wheat, and Jujube Decoction	Gan Mai Da Zao Tang	甘麥大棗湯
Sour Jujube Decoction	Suan Zao Ren Tang	酸棗仁湯
<i>Formulas that Expel Wind</i>	<i>Zhi Feng Ji</i>	<i>治風劑</i>
Eliminate Wind Powder	Xiao Feng San	消風散
Gastrodia and Uncaria Decoction	Tian Ma Gou Teng Yin	天麻鉤藤飲

**APPENDIX G: EXAMINATION HERBAL FORMULAS LIST**

<b>ENGLISH TRANSLATION</b>	<b>PINYIN</b>	<b>CHINESE</b>
Minor Invigorate the Collaterals Special Pill	Xiao Huo Lou Dan	小活絡丹
Sedate the Liver and Extinguish Wind Decoction	Zhen Gan Xi Feng Tang	鎮肝熄風湯
<i>Formulas that Reduce Food Stagnation</i>	<i>Xiao Dao Ji</i>	<i>消導劑</i>
Preserve Harmony Pill	Bao He Wan	保和丸
<i>Formulas that Stabilize and Bind</i>	<i>Gu Se Ji</i>	<i>固澀劑</i>
End Discharge Decoction	Wan Dai Tang	完帶湯
Four-Miracle Pill	Si Shen Wan	四神丸
Jade Windscreen Powder	Yu Ping Feng San	玉屏風散
Metal Lock Pill to Stabilize the Essence	Jin Suo Gu Jing Wan	金鎖固精丸
Stabilize the Menses Pill	Gu Jing Wan	固經丸
Tangkuei and Six-Yellow Decoction	Dang Gui Liu Huang Tang	當歸六黃湯