

APPENDIX F: EXAMINATION SINGLE HERB LIST

Herbs included on this list will provide the basis for single herb questions used on the examination. These herbs are listed in the reference materials, but are not endorsed as safe by the Department of Consumer Affairs, the Acupuncture Board, or the Federal Food and Drug Administration.

PINYIN	CHINESE	LATIN PHARMACEUTICAL
Ai Ye	艾葉	<i>Artemisiae Argyi, Folium</i>
Ba Ji Tian	巴戟天	<i>Morindae Officinalis, Radix</i>
Bai Bu	百部	<i>Stemonae, Radix</i>
Bai Dou Kou	白豆蔻	<i>Amomi Kravanh, Fructus</i>
Bai Guo	白果	<i>Ginkgo Bilobae, Semen</i>
Bai He	百合	<i>Lilii, Bulbus</i>
Bai Hua She	白花蛇	<i>Agkistrodon seu Bungarus</i>
Bai Ji	白芨	<i>Bletillae Striatae, Rhizoma</i>
Bai Ji Li	白蒺藜	<i>Tribuli Terrestris, Fructus</i>
Bai Jiang Cao	敗醬草	<i>Patriniae cum Radice, Herba</i>
Bai Jie Zi	白芥子	<i>Sinapis Albae, Semen</i>
Bai Mao Gen	白茅根	<i>Imperatae Cylindrica, Rhizoma</i>
Bai Qian	白前	<i>Cynanchi Baiqian, Radix et Rhizoma</i>
Bai Shao	白芍	<i>Paeoniae Lactiflorae, Radix</i>
Bai Wei	白薇	<i>Cynanchi Baiwei, Radix</i>
Bai Zhi	白芷	<i>Angelicae Dahuricae, Radix</i>
Bai Zhu	白朮	<i>Atractylodis Macrocephalae, Rhizoma</i>
Bai Zi Ren	柏子仁	<i>Biotae Orientalis, Semen</i>
Ban Lan Gen	板藍根	<i>Isatidis seu Baphicacanthi, Radix</i>
Ban Xia	半夏	<i>Pinelliae Ternatae, Rhizoma</i>
Bei Xie	萆薢	<i>Dioscoreae Hypoglaucae, Rhizoma</i>
Bi Ba	畢芨	<i>Piperis Longi, Fructus</i>
Bian Dou	扁豆	<i>Dolichoris Lablab, Semen</i>
Bian Xu	篇蓄	<i>Polygoni Avicularis, Herba</i>
Bie Jia	鱉甲	<i>Amydae Sinensis, Carapax</i>
Bing Lang	檳榔	<i>Arecae Catechu, Semen</i>
Bo He	薄荷	<i>Menthae Haplocalycis, Herba</i>
Bu Gu Zhi	補骨脂	<i>Psoraleae Corylifoliae, Fructus</i>
Cang Er Zi	蒼耳子	<i>Xanthii Sibirici, Fructus</i>
Cang Zhu	蒼朮	<i>Atractylodis, Rhizoma</i>
Cao Dou Kou	草豆蔻	<i>Alpiniae Katsumadai, Semen</i>
Cao Guo	草果	<i>Amomi Tsao-ko, Fructus</i>
Cao Wu	草烏	<i>Aconiti Kusnezoffii Praeparata, Radix</i>
Ce Bai Ye	側柏葉	<i>Biotae Orientalis, Cacumen</i>

APPENDIX F: EXAMINATION SINGLE HERB LIST

PINYIN	CHINESE	LATIN PHARMACEUTICAL
Chai Hu	柴胡	<i>Bupleuri, Radix</i>
Chan Tui	蟬蛻	<i>Cicadae, Periostracum</i>
Che Qian Zi	車前子	<i>Plantaginis, Semen</i>
Chen Pi	陳皮	<i>Citri Reticulatae, Pericarpium</i>
Chen Xiang	沉香	<i>Aquilariae, Lignum</i>
Chi Shao	赤芍	<i>Paeoniae Rubrae, Radix</i>
Chi Shi Zhi	赤石脂	<i>Halloysitum Rubrum</i>
Chuan Bei Mu	川貝母	<i>Fritillariae Cirrhosae, Bulbus</i>
Chuan Jiao	川椒	<i>Zanthoxyli Bungeani, Pericarpium</i>
Chuan Lian Zi	川楝子	<i>Meliae Toosendan, Fructus</i>
Chuan Niu Xi	川牛膝	<i>Cyathulae Officinalis, Radix</i>
Chuan Shan Jia	穿山甲	<i>Manitis Pentadactylae, Squama</i>
Chuan Xiong	川芎	<i>Ligustici Chuanxiong, Radix</i>
Chun Pi	椿皮	<i>Ailanthi Altissimae, Cortex</i>
Ci Shi	磁石	<i>Magnetitum</i>
Da Fu Pi	大腹皮	<i>Arecae Catechu, Pericarpium</i>
Da Huang	大黃	<i>Radix et Rhizoma Rhei</i>
Da Ji	大戟	<i>Euphorbiae seu Knoxiae, Radix</i>
Da Zao	大棗	<i>Zizyphi Jujubae, Fructus</i>
Dai Zhe Shi	代赭石	<i>Haematitum</i>
Dan Dou Chi	淡豆豉	<i>Sojae Praeparatum, Semen</i>
Dan Shen	丹參	<i>Salviae Miltiorrhizae, Radix</i>
Dan Zhu Ye	淡竹葉	<i>Lophatheri Gracilis, Herba</i>
Dang Gui	當歸	<i>Angelicae Sinensis, Radix</i>
Dang Shen	黨參	<i>Codonopsis Pilosulae, Radix</i>
Deng Xin Cao	燈心草	<i>Junci Effusi, Medulla</i>
Di Fu Zi	地膚子	<i>Kochiae Scopariae, Fructus</i>
Di Gu Pi	地骨皮	<i>Lycii Radicis, Cortex</i>
Di Long	地龍	<i>Lumbricus</i>
Di Yu	地榆	<i>Sanguisorbae Officinalis, Radix</i>
Ding Xiang	丁香	<i>Caryophylli, Flos</i>
Dong Gua Ren	冬瓜子	<i>Benincasae Hispidae, Semen</i>
Dong Kui Zi	冬葵子	<i>Abutili seu Malvae, Semen</i>
Du Huo	獨活	<i>Angelicae Pubescentis, Radix</i>
Du Zhong	杜仲	<i>Eucommiae Ulmoidis, Cortex</i>
E Jiao	阿膠	<i>Asini, Gelatinum Corii</i>
E Zhu	莪朮	<i>Curcumae Ezhu, Rhizoma</i>

APPENDIX F: EXAMINATION SINGLE HERB LIST

PINYIN	CHINESE	LATIN PHARMACEUTICAL
Fang Feng	防風	<i>Ledebouriellae Divaricatae, Radix</i>
Fang Ji	防己	<i>Stephaniae Tetrandrae, Radix</i>
Fu Ling	茯苓	<i>Poriae Cocos, Sclerotium</i>
Fu Pen Zi	覆盆子	<i>Rubi Chingii, Fructus</i>
Fu Xiao Mai	浮小麥	<i>Tritici Aestivi Levis, Semen</i>
Gan Cao	甘草	<i>Glycyrrhizae Uralensis, Radix</i>
Gan Jiang	乾薑	<i>Zingiberis Officinalis, Rhizoma</i>
Gao Ben	藁本	<i>Ligustici, Rhizoma et Radix</i>
Gao Liang Jiang	高良薑	<i>Alpiniae Officinarum, Rhizoma</i>
Ge Gen	葛根	<i>Radix Puerariae</i>
Gou Ji	狗脊	<i>Cibotii Barometz, Rhizoma</i>
Gou Qi Zi	枸杞子	<i>Lycii, Fructus</i>
Gou Teng	鉤藤	<i>Uncariae cum Uncis, Ramulus</i>
Gu Sui Bu	骨碎補	<i>Drynariae, Rhizoma</i>
Gu Ya	穀芽	<i>Sativae Germinatus, Fructus</i>
Gua Lou Pi	瓜蒌皮	<i>Trichosanthis, Pericarpium</i>
Gua Lou Ren	瓜蒌仁	<i>Trichosanthis, Semen</i>
Gui Ban	龜板	<i>Testudinis, Plastrum</i>
Gui Zhi	桂枝	<i>Cinnamomi Cassiae, Ramulus</i>
Hai Piao Xiao	海螵蛸	<i>Sepiae seu Sepiellae, Os</i>
Hai Tong Pi	海桐皮	<i>Erythrinae, Cortex</i>
Hai Zao	海藻	<i>Sargassii, Herba</i>
He Ye	荷葉	<i>Nelumbinis Nuciferae, Folium</i>
He Zi	訶子	<i>Terminaliae Chebulae, Fructus</i>
Hei Zhi Ma	黑芝麻	<i>Sesami Indici, Semen</i>
Hong Hua	紅花	<i>Carthami Tinctorii, Flos</i>
Hou Po	厚朴	<i>Magnoliae Officinalis, Cortex</i>
Hu Jiao	胡椒	<i>Piperis Nigri, Fructus</i>
Hu Tao Ren	胡桃仁	<i>Juglandis Regiae, Semen</i>
Hua Shi	滑石	<i>Talcum</i>
Huai Hua Mi	槐花米	<i>Sophorae Japonicae Immaturus, Flos</i>
Huang Bai	黃柏	<i>Phellodendri, Cortex</i>
Huang Lian	黃連	<i>Coptidis, Rhizoma</i>
Huang Qi	黃耆	<i>Astragali Membranacei, Radix</i>
Huang Qin	黃芩	<i>Scutellariae Baicalensis, Radix</i>
Huo Xiang	藿香	<i>Agastaches seu Pogostemi, Herba</i>
Ji Nei Jin	雞內金	<i>Corneum Gigeriae Galli, Endothelium</i>

APPENDIX F: EXAMINATION SINGLE HERB LIST

PINYIN	CHINESE	LATIN PHARMACEUTICAL
Jie Geng	桔梗	<i>Platycodi Grandiflori, Radix</i>
Jin Yin Hua	金銀花	<i>Lonicerae Japonicae, Flos</i>
Jin Ying Zi	金櫻子	<i>Rosae Laevigatae, Fructus</i>
Jing Jie	荊芥	<i>Schizonepetae Tenuifoliae, Herba seu Flos</i>
Ju Hong	橘紅	<i>Citri Erythrocarpae, Pars Rubra Epicarpium</i>
Ju Hua	菊花	<i>Chrysanthemi Morifolii, Flos</i>
Jue Ming Zi	決明子	<i>Cassiae, Semen</i>
Ku Shen	苦參	<i>Sophorae Flavescens, Radix</i>
Kuan Dong Hua	款冬花	<i>Tussilaginis Farfarae, Flos</i>
Lai Fu Zi	萊菔子	<i>Raphani Sativi, Semen</i>
Lian Qiao	連翹	<i>Forsythiae Suspensae, Fructus</i>
Lian Zi	蓮子	<i>Nelumbinis Nuciferae, Semen</i>
Long Dan Cao	龍膽草	<i>Gentianae Longdancao, Radix</i>
Long Gu	龍骨	<i>Draconis, Os</i>
Long Yan Rou	龍眼肉	<i>Euphorbiae Longanae, Arillus</i>
Lu Gen	蘆根	<i>Phragmitis Communis, Rhizoma</i>
Lu Hui	蘆薈	<i>Aloes, Herba</i>
Lu Rong	鹿茸	<i>Cervi Parvum, Cornu</i>
Ma Dou Ling	馬兜鈴	<i>Aristolochiae, Fructus</i>
Ma Huang	麻黃	<i>Ephedrae, Herba</i>
Mai Men Dong	麥門冬	<i>Ophiopogonis Japonici, Tuber</i>
Mai Ya	麥芽	<i>Hordei Vulgaris Germinantus, Fructus</i>
Man Jing Zi	蔓荊子	<i>Viticis, Fructus</i>
Mang Xiao	芒硝	<i>Mirabilitum</i>
Mo Yao	沒藥	<i>Myrrha</i>
Mu Dan Pi	牡丹皮	<i>Moutan Radicis, Cortex</i>
Mu Gua	木瓜	<i>Chaenomelis, Fructus</i>
Mu Li	牡蠣	<i>Ostreae, Concha</i>
Mu Tong	木通	<i>Mutong, Caulis</i>
Mu Xiang	木香	<i>Aucklandiae Lappae, Radix</i>
Mu Zei	木賊	<i>Equiseti Hiemalis, Herba</i>
Niu Bang Zi	牛蒡子	<i>Arctii Lappae, Fructus</i>
Niu Huang	牛黃	<i>Bovis, Calculus</i>
Niu Xi	牛膝	<i>Achyranthis Bidentatae, Radix</i>
Nu Zhen Zi	女貞子	<i>Ligustri Lucidi, Fructus</i>
Pi Pa Ye	枇杷葉	<i>Eriobotryae Japonicae, Folium</i>
Pu Gong Ying	蒲公英	<i>Taraxaci Mongolici cum Radice, Herba</i>
Pu Huang	蒲黃	<i>Typhae, Pollen</i>

APPENDIX F: EXAMINATION SINGLE HERB LIST

PINYIN	CHINESE	LATIN PHARMACEUTICAL
Qian Cao Gen	茜草根	<i>Rubiae Cordifoliae, Radix</i>
Qian Hu	前胡	<i>Peucedani, Radix</i>
Qian Shi	芡實	<i>Euryales Ferocis, Semen</i>
Qiang Huo	羌活	<i>Notopterygii, Rhizoma et Radix</i>
Qin Jiao	秦艽	<i>Gentianae Qinjiao, Radix</i>
Qing Hao	青蒿	<i>Artemisiae Annuae, Herba</i>
Qing Pi	青皮	<i>Citri Reticulatae Viride, Pericarpium</i>
Qu Mai	瞿麥	<i>Dianthi, Herba</i>
Ren Shen	人參	<i>Ginseng, Radix</i>
Rou Cong Rong	肉蓯蓉	<i>Cistanches Deserticolae, Herba</i>
Rou Dou Kou	肉豆蔻	<i>Myristicae Fragrantis, Semen</i>
Rou Gui	肉桂	<i>Cinnamomi Cassiae, Cortex</i>
Ru Xiang	乳香	<i>Olibanum, Gummi</i>
San Leng	三棱	<i>Sparganii Stoloniferi, Rhizoma</i>
San Qi	三七	<i>Notoginseng, Radix</i>
Sang Bai Pi	桑白皮	<i>Mori Albae Radicis, Cortex</i>
Sang Ji Sheng	桑寄生	<i>Sangjisheng, Ramulus</i>
Sang Shen	桑椹	<i>Mori Albae, Fructus</i>
Sang Ye	桑葉	<i>Mori Albae, Folium</i>
Sang Zhi	桑枝	<i>Mori Albae, Ramulus</i>
Sha Ren	砂仁	<i>Amomi, Fructus</i>
Sha Shen	沙參	<i>Adenophorae seu Glehniae, Radix</i>
Shan Dou Gen	山豆根	<i>Sophorae Tonkinensis, Radix</i>
Shan Yao	山藥	<i>Dioscoreae Oppositae, Radix</i>
Shan Zha	山楂	<i>Crataegi, Fructus</i>
Shan Zhi Zi	山梔子	<i>Gardeniae Jasminoidis, Fructus</i>
Shan Zhu Yu	山茱萸	<i>Corni Officinalis, Fructus</i>
She Chuang Zi	蛇床子	<i>Cnidii Monnieri, Fructus</i>
She Gan	射干	<i>Belamcandae Chinensis, Rhizoma</i>
Shen Qu	神麩	<i>Massa Fermentata</i>
Sheng Di Huang	生地黃	<i>Rehmanniae Glutinosae, Radix</i>
Sheng Jiang	生薑	<i>Zingiberis Officinalis Recens, Rhizoma</i>
Sheng Jiang Pi	生薑皮	<i>Zingiberis Officinalis Recens, Cortex</i>
Sheng Ma	升麻	<i>Rhizoma Cimicifugae</i>
Shi Gao	石膏	<i>Gypsum</i>
Shi Hu	石斛	<i>Dendrobii, Herba</i>
Shi Jue Ming	石決明	<i>Haliotidis, Concha</i>
Shi Wei	石葦	<i>Pyrrosiae, Folium</i>

APPENDIX F: EXAMINATION SINGLE HERB LIST

PINYIN	CHINESE	LATIN PHARMACEUTICAL
Shu Di Huang	熟地黄	<i>Rehmanniae Glutinosae Conquिताe, Radix</i>
Shui Niu Jiao	水牛角	<i>Bubali, Cornu</i>
Suan Zao Ren	酸枣仁	<i>Zizyphi Spinosae, Semen</i>
Suo Yang	鎖陽	<i>Cynomorii Songarici, Herba</i>
Tao Ren	桃仁	<i>Persicae, Semen</i>
Tian Hua Fen	天花粉	<i>Trichosanthis Kirilowii, Radix</i>
Tian Ma	天麻	<i>Gastrodiae Elatae, Rhizoma</i>
Tian Men Dong	天門冬	<i>Asparagi Cochinchinensis, Tuber</i>
Tian Nan Xing	天南星	<i>Arisaematis, Rhizoma</i>
Tu Fu Ling	土茯苓	<i>Smilacis Glabrae, Rhizoma</i>
Tu Si Zi	菟絲子	<i>Cuscutae Chinensis, Semen</i>
Wang Bu Liu Xing	王不留行	<i>Vaccariae Segetalis, Semen</i>
Wei Ling Xian	威靈仙	<i>Clematidis, Radix</i>
Wu Jia Pi	五加皮	<i>Acanthopanax Gracilistylus Radicis, Cortex</i>
Wu Mei	烏梅	<i>Pruni Mume, Fructus</i>
Wu Wei Zi	五味子	<i>Schisandrae Chinensis, Fructus</i>
Wu Yao	烏藥	<i>Linderae Strychnifoliae, Radix</i>
Wu Zhu Yu	吳茱萸	<i>Evodiae Rutaecarpae, Fructus</i>
Xi Xian Cao	豨薟草	<i>Siegesbeckiae, Herba</i>
Xi Xin	細辛	<i>Asari cum Radice, Herba</i>
Xia Ku Cao	夏枯草	<i>Prunellae Vulgaris, Spica</i>
Xian He Cao	仙鶴草	<i>Agrimoniae Pilosea, Herba</i>
Xian Mao	仙茅	<i>Curculiginis Orchiodis, Rhizoma</i>
Xiang Fu	香附	<i>Cyperi Rotundi, Rhizoma</i>
Xiang Ru	香薷	<i>Elsholtziae seu Moslae, Herba</i>
Xiao Hui Xiang	小茴香	<i>Foeniculi Vulgaris, Fructus</i>
Xin Yi Hua	辛夷花	<i>Magnoliae, Flos</i>
Xing Ren	杏仁	<i>Pruni Armeniacae, Semen</i>
Xu Duan	續斷	<i>Dipsaci Asperi, Radix</i>
Xuan Fu Hua	旋覆花	<i>Inulae, Flos</i>
Xuan Shen	玄參	<i>Scrophulariae Ningpoensis, Radix</i>
Yan Hu Suo	延胡索	<i>Corydalis Yanhusuo, Rhizoma</i>
Ye Jiao Teng	夜交藤	<i>Polygoni Multiflori, Caulis</i>
Yi Mu Cao	益母草	<i>Leonuri Heterophylli, Herba</i>
Yi Tang	飴糖	<i>Saccharum Granorum (Maltose)</i>
Yi Yi Ren	薏苡仁	<i>Coicis Lachryma-jobi, Semen</i>
Yi Zhi Ren	益智仁	<i>Alpiniae Oxyphyllae, Fructus</i>
Yin Chen Hao	茵陳	<i>Artemisiae Yinchenhao (Capillaris), Herba</i>

APPENDIX F: EXAMINATION SINGLE HERB LIST

PINYIN	CHINESE	LATIN PHARMACEUTICAL
Yin Yang Huo	淫羊藿	<i>Epimedii, Herba</i>
Yu Jin	鬱金	<i>Curcumae, Tuber</i>
Yuan Zhi	遠志	<i>Polygalae Tenuifoliae, Radix</i>
Ze Lan	澤蘭	<i>Lycopi Lucidi, Herba</i>
Ze Xie	澤瀉	<i>Alismatis Orientalis, Rhizoma</i>
Zhe Bei Mu	浙貝母	<i>Fritillariae Thunbergii, Bulbus</i>
Zhen Zhu	珍珠	<i>Margarita</i>
Zhi Cao Wu	制草烏	<i>Aconiti Kusnezoffii Praeparata, Radix</i>
Zhi Gan Cao	炙甘草	<i>Glycyrrhizae Uralensis, Radix</i>
Zhi Ke	枳殼	<i>Citri Aurantii, Fructus</i>
Zhi Mu	知母	<i>Anemarrhenae Asphodeloidis, Rhizoma</i>
Zhi Shi	枳實	<i>Citri Aurantii, Fructus Immaturus</i>
Zhi Zi	梔子	<i>Gardeniae Jasminoidis, Fructus</i>
Zhu Ling	豬苓	<i>Polypori Umbellati, Sclerotium</i>
Zhu Ru	竹茹	<i>Bambusae in Taeniis, Caulis</i>
Zi Cao	紫草	<i>Arnebiae seu Lithospermai, Radix</i>
Zi Su Ye	紫蘇葉	<i>Perillae Frutescentis, Folium</i>
Zi Su Zi	紫蘇子	<i>Perillae Frutescentis, Fructus</i>
Zi Wan	紫菀	<i>Asteris Tatarici, Radix</i>

APPENDIX F: EXAMINATION SINGLE HERB LIST

INFORMATION ONLY

These herbs are either illegal or considered toxic in the United States and are replaced by other medicinal herbs with similar properties in preparations. They are used in many classic formulas; therefore, they are included in this list for their instructional value only. Herbs indicated on this page *will not be used* for testing purposes.

PINYIN	CHINESE	LATIN PHARMACEUTICAL
Chuan Wu	川烏	<i>Aconiti Carmichaeli, Radix</i>
Cong Bai	蔥白	<i>Allii Fistulosi, Bulbus</i>
Feng Mi	蜂蜜	<i>Mel</i>
Fu Zi	附子	<i>Aconiti Carmichaeli Preparata, Radix Lateralis</i>
Gan Sui	甘遂	<i>Euphorbiae Kansui, Radix</i>
Ge Jie	蛤蚧	<i>Gecko</i>
Hu Gu	虎骨	<i>Tigris, Os</i>
Hu Lu Ba	葫蘆巴	<i>Trigonellae Foeni-graeci, Semen</i>
Hu Po	琥珀	<i>Succinum</i>
Huo Ma Ren	火麻仁	<i>Cannabis Sativae, Semen</i>
Jiang Can	僵蠶	<i>Bombyx Batryticatus</i>
Liu Huang	硫磺	<i>Sulphur</i>
Lu Jiao	鹿角	<i>Cervi, Cornu</i>
Qian Niu Zi	牽牛子	<i>Pharbitidis, Semen</i>
Quan Xie	全蠍	<i>Buthus Martensi</i>
She Xiang	麝香	<i>Moschus, Secretio</i>
Shi Chang Pu	石菖蒲	<i>Acori Graminei, Rhizoma</i>
Shi Jun Zi	使君子	<i>Quisqualis Indicae, Fructus</i>
Su He Xiang	蘇合香	<i>Liquidis, Styrax</i>
Tan Xiang	檀香	<i>Santali Albi, Lignum</i>
Wu Gong	蜈蚣	<i>Scolopendra Subspinipes</i>
Wu Ling Zhi	五靈脂	<i>Troglodyteri seu Pteromi, Excrementum</i>
Xi Jiao	犀角	<i>Rhinoceri, Cornu</i>
Xiong Dan	熊膽	<i>Ursi, Vesica Fellea</i>
Zhu Sha	硃砂	<i>Cinnabaris</i>
Zi He Che	紫河車	<i>Hominis, Placenta</i>

APPENDIX G: EXAMINATION HERBAL FORMULAS LIST

Herbal formulas included on this list will provide the basis for herbal formula questions used on the examination. Herbal formula nomenclature and formula ingredients are taken from Bensky and Barolet's *Chinese Herbal Medicine: Formulas and Strategies*, 1990. The formulas presented here are listed in the reference material but are not endorsed as safe by the Department of Consumer Affairs, the Acupuncture Board, or the Federal Food and Drug Administration

ENGLISH TRANSLATION	PINYIN	CHINESE
<i>Formulas that Release the Exterior</i>	<i>Jie Biao Ji</i>	解表劑
Ephedra Decoction	Ma Huang Tang	麻黃湯
Cinnamon Twig Decoction	Gui Zhi Tang	桂枝湯
Kudzu Decoction	Ge Gen Tang	葛根湯
Ginseng Powder to Overcome Pathogenic Influences	Ren Shen Bai Du San	人參敗毒散
Bupleurum and Kudzu Decoction to Release the Muscle Layer	Chai Ge Jie Ji Tang	柴葛解肌湯
Honeysuckle and Forsythia Powder	Yin Qiao San	銀翹散
Mulberry Leaf and Chrysanthemum Decoction	Sang Ju Yin	桑菊飲
<i>Formulas that Clear Heat</i>	<i>Qing Re Ji</i>	清熱劑
White Tiger Decoction	Bai Hu Tang	白虎湯
Ephedra, Apricot Kernel, Gypsum, and Licorice Decoction	Ma Xing Shi Gan Tang	麻杏石甘湯
Coptis Decoction to Relieve Toxicity	Huang Lian Jie Du Tang	黃連解毒湯
Gentiana Longdancao Decoction to Drain the Liver	Long Dan Xie Gan Tang	龍膽瀉肝湯
Artemisia Annuum and Soft-shelled Turtle Shell Decoction	Qing Hao Bie Jia Tang	青蒿鱉甲湯

APPENDIX G: EXAMINATION HERBAL FORMULAS LIST

ENGLISH TRANSLATION	PINYIN	CHINESE
<i>Formulas that Drain Downward</i>	<i>Xie Xia Ji</i>	<i>瀉下劑</i>
Major Order the Qi Decoction	Da Cheng Qi Tang	大承氣湯
Minor Order the Qi Decoction	Xiao Cheng Qi Tang	小承氣湯
Regulate the Stomach and Order the Qi Decoction	Tiao Wei Cheng Qi Tang	調胃承氣湯
<i>Formulas that Harmonize</i>	<i>He Jie Ji</i>	<i>和解劑</i>
Minor Bupleurum Decoction	Xiao Chai Hu Tang	小柴胡湯
Rambling Powder	Xiao Yao San	逍遙散
Frigid Extremities Powder	Si Ni San	四逆散
Pinellia Decoction to Drain the Epigastrium	Ban Xia Xie Xin Tang	半夏瀉心湯
<i>Formulas that Expel Dampness</i>	<i>Qu Shi Ji</i>	<i>祛濕劑</i>
Five-Ingredient Powder with Poria	Wu Ling San	五苓散
Polyporus Decoction	Zhu Ling Tang	豬苓湯
Five-Peel Powder	Wu Pi San	五皮散
Calm the Stomach Powder	Ping Wei San	平胃散
Agastache Powder to Rectify the Qi	Huo Xiang Zheng Qi San	藿香正氣散
Eight-Herb Powder for Rectification	Ba Zheng San	八正散
Angelica Pubescens and Sangjiisheng Decoction	Du Huo Ji Sheng Tang	獨活寄生湯
True Warrior Decoction	Zhen Wu Tang	真武湯

APPENDIX G: EXAMINATION HERBAL FORMULAS LIST

ENGLISH TRANSLATION	PINYIN	CHINESE
<i>Formulas that Warm Interior Cold</i>	<i>Wen Li Ji</i>	溫里劑
Regulate the Middle Pill	Li Zhong Wan	理中丸
Frigid Extremities Decoction	Si Ni Tang	四逆湯
Major Construct the Middle Decoction	Da Jian Zhong Tang	大建中湯
Evodia Decoction	Wu Zhu Yu Tang	吳茱萸湯
<i>Formulas that Tonify</i>	<i>Bu Yi Ji</i>	補益劑
Four-Gentlemen Decoction	Si Jun Zi Tang	四君子湯
Tonify the Middle and Augment the Qi Decoction	Bu Zhong Yi Qi Tang	補中益氣湯
Four-Substance Decoction	Si Wu Tang	四物湯
All-Inclusive Great Tonifying Decoction	Shi Quan Da Bu Tang	十全大補湯
Restore the Spleen Decoction	Gui Pi Tang	歸脾湯
Six-Ingredient Pill with Rehmannia	Liu Wei Di Huang Wan	六味地黃丸
Generate the Pulse Powder	Sheng Mai San	生脈散
Kidney Qi Pill from the <i>Golden Cabinet</i>	Jin Gui Shen Qi Wan	金櫃腎氣丸

APPENDIX G: EXAMINATION HERBAL FORMULAS LIST


ENGLISH TRANSLATION	PINYIN	CHINESE
<i>Formulas that Treat Phlegm</i>	<i>Qu Tan Ji</i>	<i>祛痰劑</i>
Two-Cured Decoction	Er Chen Tang	二陳湯
Warm the Gallbladder Decoction	Wen Dan Tang	溫膽湯
Stop Coughing Powder	Zhi Sou San	止嗽散
Pinellia, Atractylodis Macrocephalae, and Gastrodia Decoction	Ban Xia Bai Zhu Tian Ma Tang	半夏白朮天麻湯
Fritillaria and Trichosanthes Fruit Powder	Bei Mu Gua Lou San	貝母瓜蒌散
<i>Formulas that Regulate the Qi</i>	<i>Li Qi Ji</i>	<i>理氣劑</i>
Pinellia and Magnolia Bark Decoction	Ban Xia Hou Po Tang	半夏厚樸湯
Escape Restraint Pill	Yue Ju Wan	越鞠丸
Perilla Fruit Decoction for Directing Qi Downward	Su Zi Jiang Qi Tang	蘇子降氣湯
Tangerine Peel and Bamboo Shavings Decoction	Ju Pi Zhu Ru Tang	橘皮竹茹湯
Arrest Wheezing Decoction	Ding Chuan Tang	定喘湯
<i>Formulas that Invigorate the Blood</i>	<i>Huo Xue Ji</i>	<i>活血劑</i>
Peach Pit Decoction to Order the Qi	Tao He Cheng Qi Tang	桃核承氣湯
Drive Out Stasis in the Mansion of Blood Decoction	Xue Fu Zhu Yu Tang	血府逐瘀湯
Cinnamon Twig and Poria Pill	Gui Zhi Fu Ling Wan	桂枝茯苓丸
Warm the Menses Decoction	Wen Jing Tang	溫經湯

APPENDIX G: EXAMINATION HERBAL FORMULAS LIST

ENGLISH TRANSLATION	PINYIN	CHINESE
<i>Formulas that Calm the Spirit</i>	<i>An Shen Ji</i>	<i>安神劑</i>
Emperor of Heaven's Special Pill to Tonify the Heart	Tian Wang Bu Xin Dan	天王補心丹
Sour Jujube Decoction	Suan Zao Ren Tang	酸棗仁湯
Licorice, Wheat, and Jujube Decoction	Gan Mai Da Zao Tang	甘麥大棗湯
<i>Formulas that Expel Wind</i>	<i>Zhi Feng Ji</i>	<i>治風劑</i>
Eliminate Wind Powder from <i>True Lineage</i>	Xiao Feng San	消風散
Gastrodia and Uncaria Decoction	Tian Ma Gou Teng Yin	天麻鉤藤飲
Minor Invigorate the Collaterals Special Pill	Xiao Huo Lou Dan	小活絡丹
<i>Formulas that Reduce Food Stagnation</i>	<i>Xiao Dao Ji</i>	<i>消導劑</i>
Preserve Harmony Pill	Bao He Wan	保和丸
<i>Formulas that Stabilize and Bind</i>	<i>Gu Se Ji</i>	<i>固澀劑</i>
Jade Windscreen Powder	Yu Ping Feng San	玉屏風散
Stabilize the Menses Pill	Gu Jing Wan	固經丸
Four-Miracle Pill	Si Shen Wan	四神丸

Wrenne

Preparation Guide



California Acupuncture Licensing Examination

August 2008

California Acupuncture Board
444 N 3rd Street, Suite 260
Sacramento, CA 95814