

APPENDIX E: EXAMINATION SINGLE HERB LIST

Herbs included on this list will provide the basis for single herb questions used on the examination. These herbs are not endorsed as safe by the Department of Consumer Affairs, the Acupuncture Board, or the Federal Food and Drug Administration.

PINYIN	CHINESE (KOREAN)	LATIN PHARMACEUTICAL
Ai Ye	艾葉 (애엽)	<i>Artemisiae Argyi, Folium</i>
Ba Ji Tian	巴戟天 (파극천)	<i>Morindae Officinalis, Radix</i>
Bai Bian Dou ¹	白扁豆 (백편두)	<i>Lablab Semen album</i>
Bai Bu	百部 (백부)	<i>Stemonaee, Radix</i>
Bai Guo	白果 (백과)	<i>Ginkgo, Semen</i>
Bai He	百合 (백합)	<i>Lilii, Bulbus</i>
Bai Jiang Cao	敗醬草 (패장초)	<i>Patriniae, Herba cum Radice</i>
Bai Jie Zi	白芥子 (개자)	<i>Sinapis, Semen</i>
Bai Mao Gen	白茅根 (백모근)	<i>Imperatae, Rhizoma</i>
Bai Qian	白前 (백전)	<i>Cynanchi Stauntonii, Radix et Rhizoma</i>
Bai Shao	白芍 (백작)	<i>Paeoniae Alba, Radix</i>
Bai Tou Weng	白頭翁 (백두옹)	<i>Pulsatillae, Radix</i>
Bai Wei	白薇 (백미)	<i>Cynanchi Atrati, Radix et Rhizoma</i>
Bai Zhi	白芷 (백지)	<i>Angelicae Dahuricae, Radix</i>
Bai Zhu	白朮 (백출)	<i>Atractylodis Macrocephalae, Rhizoma</i>
Bai Zi Ren	柏子仁 (백자인)	<i>Platycladi, Semen</i>
Ban Lan Gen	板藍根 (판남근)	<i>Isatidis, Radix</i>
Ban Xia	半夏 (반하)	<i>Pinelliae, Rhizoma</i>
Bei Mu	貝母 (패모)	<i>Fritillariae, Bulbus</i>
Bei Sha Shen	北沙參 (북사삼)	<i>Glehniae, Radix</i>
Bi Bo ²	萹苳 (필밭)	<i>Piperis Longi, Fructus</i>
Bian Xu	篇蓄 (편축)	<i>Polygoni Avicularis, Herba</i>
Bie Jia	鼈甲 (별갑)	<i>Trionycis, Carapax</i>
Bo He	薄荷 (박하)	<i>Menthae, Herba</i>
Bu Gu Zhi	補骨脂 (보골지)	<i>Psoraleae, Fructus</i>
Cang Er Zi	蒼耳子 (창이자)	<i>Xanthii, Fructus</i>

APPENDIX E: EXAMINATION SINGLE HERB LIST

PINYIN	CHINESE (KOREAN)	LATIN PHARMACEUTICAL
Cang Zhu	蒼朮 (창출)	<i>Atractylodis, Rhizoma</i>
Cao Dou Kou	草豆蔻 (초두구)	<i>Alpiniae Katsumadai, Semen</i>
Cao Guo	草果 (초과)	<i>Amomi Tsaoko, Fructus</i>
Cao Wu	草烏 (초오)	<i>Aconiti Kusnezoffii, Radix</i>
Ce Bai Ye	側柏葉 (측백엽)	<i>Platycladi, Cacumen</i>
Chai Hu	柴胡 (시호)	<i>Bupleuri, Radix</i>
Chan Tui	蟬蛻 (선태)	<i>Cicadae, Periostracum</i>
Che Qian Zi	車前子 (차전자)	<i>Plantaginis, Semen</i>
Chen Pi	陳皮 (진피)	<i>Citri Reticulatae, Pericarpium</i>
Chen Xiang	沈香 (침향)	<i>Aquilariae Resinatum, Lignum</i>
Chi Shao	赤芍 (적작)	<i>Paeoniae Rubrae, Radix</i>
Chi Shi Zhi	赤石脂 (적석지)	<i>Halloysitum Rubrum</i>
Chuan Bei Mu	川貝母 (천패모)	<i>Fritillariae Cirrhosae, Bulbus</i>
Chuan Lian Zi	川楝子 (천련자)	<i>Meliae Toosendan, Fructus</i>
Chuan Mu Tong	川木通 (천목통)	<i>Clematidis Armandii, Caulis</i>
Chuan Niu Xi	川牛膝 (천우슬)	<i>Cyathulae, Radix</i>
Chuan Xiong	川芎 (천궁)	<i>Chuanxiong, Rhizoma</i>
Chun Pi ³	椿皮 (춘피)	<i>Ailanthi, Cortex</i>
Ci Shi	磁石 (자석)	<i>Magnetitum</i>
Da Fu Pi	大腹皮 (대복피)	<i>Arecae, Pericarpium</i>
Da Huang	大黃 (대황)	<i>Radix et Rhizoma Rhei</i>
Da Ji	大戟 (대극)	<i>Euphorbiae seu Knoxiae, Radix</i>
Da Zao	大棗 (대조)	<i>Jujubae, Fructus</i>
Dan Dou Chi	淡豆豉 (담두시)	<i>Sojae Praeparatum, Semen</i>
Dan Nan Xing	膽南星 (담남성)	<i>Arisaema cum Bile</i>
Dan Shen	丹蔘 (단삼)	<i>Salviae Miltiorrhizae, Radix et Rhizoma</i>
Dan Zhu Ye	淡竹葉 (담죽엽)	<i>Lophatheri, Herba</i>
Dang Gui	當歸 (당귀)	<i>Angelicae Sinensis, Radix</i>

APPENDIX E: EXAMINATION SINGLE HERB LIST

PINYIN	CHINESE (KOREAN)	LATIN PHARMACEUTICAL
Dang Shen	黨蔘 (당삼)	<i>Codonopsis, Radix</i>
Deng Xin Cao	燈心草 (등심초)	<i>Junci, Medulla</i>
Di Fu Zi	地膚子 (지부자)	<i>Kochiae, Fructus</i>
Di Gu Pi	地骨皮 (지골피)	<i>Lycii, Cortex</i>
Di Huang ⁴	地黃 (지황)	<i>Rehmanniae, Radix</i>
Di Long	地龍 (지룡)	<i>Pheretima</i>
Di Yu	地榆 (지유)	<i>Sanguisorbae, Radix</i>
Ding Xiang	丁香 (정향)	<i>Caryophylli, Flos</i>
Dong Gua Zi	冬瓜子 (동과자)	<i>Benincasae, Semen</i>
Dong Kui Zi	冬葵子 (동규자)	<i>Malvae, Semen</i>
Dou Kou ⁵	豆蔻 (두구)	<i>Amomi Rotundus, Fructus</i>
Du Huo	獨活 (독활)	<i>Angelicae Pubescentis, Radix</i>
Du Zhong	杜仲 (두충)	<i>Eucommiae, Cortex</i>
E Jiao	阿膠 (아교)	<i>Asini, Colla Corii</i>
E Zhu	莪朮 (아출)	<i>Curcumae, Rhizoma</i>
Fang Feng	防風 (방풍)	<i>Saposhnikoviae, Radix</i>
Fang Ji ⁶	防己 (방기)	<i>Stephaniae Tetrandrae, Radix</i>
Fen Bi Xie ⁷	粉萆薢 (분비해)	<i>Dioscoreae Hypoglaucae, Rhizoma</i>
Fu Ling	茯苓 (복령)	<i>Poriae</i>
Fu Pen Zi	覆盆子 (복분자)	<i>Rubi, Fructus</i>
Fu Xiao Mai	浮小麥 (부소맥)	<i>Tritici Levis, Fructus</i>
Fu Zi	附子 (부자)	<i>Aconiti Lateralis Preparata, Radix</i>
Gan Cao	甘草 (감초)	<i>Glycyrrhizae, Radix et Rhizoma</i>
Gan Jiang	乾薑 (건강)	<i>Zingiberis, Rhizoma</i>
Gao Ben	藁本 (고본)	<i>Ligustici, Rhizoma et Radix</i>
Gao Liang Jiang	高良薑 (고량강)	<i>Alpiniae Officinari, Rhizoma</i>
Ge Gen	葛根 (갈근)	<i>Puerariae Lobatae, Radix</i>
Gou Ji	狗脊 (구척)	<i>Cibotii, Rhizoma</i>

APPENDIX E: EXAMINATION SINGLE HERB LIST

PINYIN	CHINESE (KOREAN)	LATIN PHARMACEUTICAL
Gou Qi Zi	枸杞子 (구기자)	<i>Lycii, Fructus</i>
Gou Teng	鉤藤 (구등)	<i>Uncariae cum Uncis, Ramulus</i>
Gu Sui Bu	骨碎補 (골쇄보)	<i>Drynariae, Rhizoma</i>
Gu Ya	穀芽 (곡아)	<i>Sativae Germinantus, Fructus</i>
Gua Lou Pi	瓜蒌皮 (과루피)	<i>Trichosanthis, Pericarpium</i>
Gua Lou Zi ⁸	瓜蒌子 (과루자)	<i>Trichosanthis, Semen</i>
Guang Huo Xiang	廣藿香 (광곽향)	<i>Pogostemonis, Herba</i>
Gui Ban	龜板 (구판)	<i>Testudinis, Plastrum</i>
Gui Ban Jiao	龜板膠 (구판교)	<i>Testudinis, Gelatinum Plastrum</i>
Gui Zhi	桂枝 (계지)	<i>Cinnamomi, Ramulus</i>
Hai Piao Xiao	海鰾蛸 (해표초)	<i>Sepiae, Endoconcha</i>
Hai Tong Pi	海桐皮 (해동피)	<i>Erythrinae, Cortex</i>
Hai Zao	海藻 (해조)	<i>Sargassum</i>
He Ye	荷葉 (하엽)	<i>Nelumbinis, Folium</i>
He Zi	訶子 (가자)	<i>Chebulae, Fructus</i>
Hei Zhi Ma	黑芝麻 (흑지마)	<i>Sesami Nigrum, Semen</i>
Hong Hua	紅花 (홍화)	<i>Carthami, Flos</i>
Hou Po	厚朴 (후박)	<i>Magnoliae Officinalis, Cortex</i>
Hu Jiao	胡椒 (호초)	<i>Piperis, Fructus</i>
Hu Tao Ren	胡桃仁 (호도인)	<i>Juglandis, Semen</i>
Hua Jiao	花椒 (화초)	<i>Zanthoxyli, Pericarpium</i>
Hua Shi	滑石 (활석)	<i>Talcum</i>
Huai Hua Mi	槐花米 (괴화미)	<i>Sophorae Japonicae Immaturus, Flos</i>
Huang Bo ⁹	黃柏 (황백)	<i>Phellodendri Chinensis, Cortex</i>
Huang Lian	黃連 (황련)	<i>Coptidis, Rhizoma</i>
Huang Qi	黃芪 (황기)	<i>Astragali, Radix</i>
Huang Qin	黃芩 (황금)	<i>Scutellariae, Radix</i>
Huo Ma Ren	火麻仁 (화마인)	<i>Cannabis, Fructus</i>

APPENDIX E: EXAMINATION SINGLE HERB LIST

PINYIN	CHINESE (KOREAN)	LATIN PHARMACEUTICAL
Huo Xiang	藿香 (곽향)	<i>Agastaches, Herba</i>
Ji Li ¹⁰	蒺藜 (질러)	<i>Tribuli, Fructus</i>
Ji Nei Jin	鷄內金 (계내금)	<i>Corneum Gigeriae Galli, Endothelium</i>
Ji Zi Huang	雞子黃(계자황)	<i>Galli Vitellus</i>
Jiang Huang	薑黃 (강황)	<i>Curcumae longae, Rhizoma</i>
Jie Geng	桔梗 (길경)	<i>Platycodi, Radix</i>
Jin Qian Bai Hua She ¹¹	金錢白花蛇 (금전백화사)	<i>Bungarus Parvus</i>
Jin Yin Hua	金銀花 (금은화)	<i>Lonicerae Japonicae, Flos</i>
Jin Ying Zi	金櫻子 (금앵자)	<i>Rosae Laevigatae, Fructus</i>
Jing Jie	荊芥 (형개)	<i>Schizonepetae, Herba</i>
Jing Mi	粳米 (경미)	<i>Nonglutinous Rice</i>
Ju Hong	橘紅 (귤홍)	<i>Citri Erythrocarpae, Pars Rubra Epicarpis</i>
Ju Hua	菊花 (국화)	<i>Chrysanthemi, Flos</i>
Jue Ming Zi	決明子 (결명자)	<i>Cassiae, Semen</i>
Ku Shen ¹²	苦蔘 (고삼)	<i>Sophorae Flavescens, Radix</i>
Ku Xing Ren ¹³	苦杏仁 (고행인)	<i>Armeniaca Amara, Semen</i>
Lai Fu Zi	萊菔子 (내복자)	<i>Raphani, Semen</i>
Lian Qiao	蓮翹 (연교)	<i>Forsythiae, Fructus</i>
Lian Xu	蓮鬚 (연순)	<i>Nelumbinis, Stamen</i>
Lian Zi	蓮子 (연자)	<i>Nelumbinis, Semen</i>
Long Dan ¹⁴	龍膽 (용담)	<i>Gentiana, Radix</i>
Long Gu	龍骨 (용골)	<i>Draconis, Os</i>
Long Yan Rou	龍眼肉 (용안육)	<i>Longanae, Arillus</i>
Lu Gen	蘆根 (노근)	<i>Phragmitis, Rhizoma</i>
Lu Hui	蘆薈 (노회)	<i>Aloes</i>
Lu Jiao Jiao	鹿角膠 (녹각교)	<i>Cervi Colla Cornus</i>
Lu Rong	鹿茸 (녹용)	<i>Cervi Pantotrichum, Cornu</i>

APPENDIX E: EXAMINATION SINGLE HERB LIST

PINYIN	CHINESE (KOREAN)	LATIN PHARMACEUTICAL
Mai Dong ¹⁵	麥冬 (맥동)	<i>Ophiopogonis, Tuber</i>
Mai Ya	麥芽 (맥아)	<i>Hordei Germinantus, Fructus</i>
Man Jing Zi	蔓荊子 (만형자)	<i>Vitidis, Fructus</i>
Mang Xiao	芒硝 (망초)	<i>Natrii Sulfas</i>
Mo Yao	沒藥 (작약)	<i>Myrrha</i>
Mu Dan Pi	牡丹皮 (목단피)	<i>Moutan, Cortex</i>
Mu Gua	木瓜 (목과)	<i>Chaenomelis, Fructus</i>
Mu Li	牡蠣 (모려)	<i>Ostreae, Concha</i>
Mu Tong	木通 (목통)	<i>Akebiae, Caulis</i>
Mu Zei	木賊 (목적)	<i>Equiseti Hiemalis, Herba</i>
Nan Sha Shen	南沙參 (남사삼)	<i>Adenophorae, Radix</i>
Niu Bang Zi	牛蒡子 (우방자)	<i>Arctii, Fructus</i>
Niu Huang	牛黃 (우황)	<i>Bovis, Calculus</i>
Niu Xi ¹⁶	牛膝 (우슬)	<i>Achyranthis Bidentatae, Radix</i>
Nu Zhen Zi	女貞子 (여정자)	<i>Ligustri Lucidi, Fructus</i>
Pao Jiang	炮薑 (포강)	<i>Zingiberis Preparatum, Rhizoma</i>
Pi Pa Ye	枇杷葉 (비파엽)	<i>Eriobotryae, Folium</i>
Pu Gong Ying	蒲公英 (포공영)	<i>Taraxaci, Herba</i>
Pu Huang	蒲黃 (포황)	<i>Typhae, Pollen</i>
Qian Cao	茜草 (서초)	<i>Rubiae, Radix et Rhizoma</i>
Qian Hu	前胡 (전호)	<i>Peucedani, Radix</i>
Qian Shi	芡實 (검실)	<i>Euryales, Semen</i>
Qiang Huo	羌活 (강활)	<i>Notopterygii, Rhizoma et Radix</i>
Qin Jiao	秦艽 (진교)	<i>Gentianae Macrophyllae, Radix</i>
Qin Pi	秦皮 (진피)	<i>Fraxini Cortex</i>
Qing Hao	青蒿 (청호)	<i>Artemisiae Annuae, Herba</i>
Qing Pi	青皮 (청피)	<i>Citri Reticulatae Viride, Pericarpium</i>
Qu Mai	瞿麥 (구맥)	<i>Dianthi, Herba</i>

APPENDIX E: EXAMINATION SINGLE HERB LIST

PINYIN	CHINESE (KOREAN)	LATIN PHARMACEUTICAL
Ren Shen	人蔘 (인삼)	<i>Ginseng, Radix et Rhizoma</i>
Rou Dou Kou	肉豆蔻 (육두구)	<i>Myristicae Fragrantis, Semen</i>
Rou Gui	肉桂 (육계)	<i>Cinnamomi, Cortex</i>
Ru Xiang	乳香 (유향)	<i>Olibanum, Gummi</i>
San Leng	三稜 (삼릉)	<i>Sparganii, Rhizoma</i>
San Qi	三七 (삼칠)	<i>Notoginseng, Radix</i>
Sang Bai Pi	桑白皮 (상백피)	<i>Mori, Cortex</i>
Sang Ji Sheng	桑寄生 (상기생)	<i>Taxilli, Herba</i>
Sang Shen ¹⁷	桑椹 (상심)	<i>Mori, Fructus</i>
Sang Ye	桑葉 (상엽)	<i>Mori, Folium</i>
Sang Zhi	桑枝 (상지)	<i>Mori, Ramulus</i>
Sha Ren	砂仁 (사인)	<i>Amomi, Fructus</i>
Sha Yuan Zi	沙苑子 (사원자)	<i>Astragali Complanati, Semen</i>
Shan Dou Gen	山豆根 (산두근)	<i>Sophorae Tonkinensis, Radix et Rhizoma</i>
Shan Yao	山藥 (산약)	<i>Dioscoreae, Radix</i>
Shan Zha	山楂 (산사)	<i>Crataegi, Fructus</i>
Shan Zhu Yu	山茱萸 (산수유)	<i>Corni, Fructus</i>
She Chuang Zi	蛇床子 (사상자)	<i>Cnidii, Fructus</i>
She Gan	射干 (사간)	<i>Belamcandae, Rhizoma</i>
Shen Qu	神麴 (신곡)	<i>Massa Fermentata</i>
Sheng Jiang	生薑 (생강)	<i>Zingiberis Recens, Rhizoma</i>
Sheng Jiang Pi	生薑皮 (생강피)	<i>Zingiberis Recens, Cortex</i>
Sheng Ma	升麻 (승마)	<i>Rhizoma Cimicifugae</i>
Shi Gao	石膏 (석고)	<i>Gypsum Fibrosum</i>
Shi Jue Ming	石決明 (석결명)	<i>Haliotidis, Concha</i>
Shi Wei	石葦 (석위)	<i>Pyrrosiae, Folium</i>
Shou Wu Teng ¹⁸	首烏藤 (수오등)	<i>Polygoni Multiflori, Caulis</i>
Shu Di Huang	熟地黃 (숙지황)	<i>Rehmanniae Praeparata, Radix</i>

APPENDIX E: EXAMINATION SINGLE HERB LIST

PINYIN	CHINESE (KOREAN)	LATIN PHARMACEUTICAL
Shui Niu Jiao	水牛角 (수우각)	<i>Bubali, Cornu</i>
Suan Zao Ren	酸棗仁 (산조인)	<i>Zizyphi Spinosae, Semen</i>
Suo Yang	鎖陽 (쇄양)	<i>Cynomorii, Herba</i>
Tan Xiang	檀香 (단향)	<i>Santali Albi Lignum</i>
Tao Ren	桃仁 (도인)	<i>Persicae, Semen</i>
Tian Dong ¹⁹	天冬 (천동)	<i>Asparagi, Radix</i>
Tian Hua Fen	天花粉 (천화분)	<i>Trichosanthis, Radix</i>
Tian Nan Xing	天南星 (천남성)	<i>Arisaematis, Rhizoma</i>
Tu Fu Ling	土茯苓 (토복령)	<i>Smilacis Glabrae, Rhizoma</i>
Tu Si Zi	菟絲子 (토사자)	<i>Cuscutae, Semen</i>
Wang Bu Liu Xing	王不留行 (왕불유행)	<i>Vaccariae, Semen</i>
Wei Ling Xian	威靈仙 (위령선)	<i>Clematidis, Radix et Rhizoma</i>
Wu Jia Pi	五加皮 (오가피)	<i>Acanthopanax, Cortex</i>
Wu Mei	烏梅 (오매)	<i>Mume, Fructus</i>
Wu Wei Zi	五味子 (오미자)	<i>Schisandrae Chinensis, Fructus</i>
Wu Yao	烏藥 (오약)	<i>Linderae, Radix</i>
Wu Zhu Yu	吳茱萸 (오수유)	<i>Evodiae, Fructus</i>
Xi Xian Cao	豨薟草 (희렴초)	<i>Siegesbeckiae, Herba</i>
Xia Ku Cao	夏枯草 (하고초)	<i>Prunellae, Spica</i>
Xian He Cao	仙鶴草 (선학초)	<i>Agrimoniae, Herba</i>
Xian Mao	仙茅 (선모)	<i>Curculiginis, Rhizoma</i>
Xiang Fu	香附 (향부)	<i>Cyperis, Rhizoma</i>
Xiang Ru	香薷 (향유)	<i>Moslai, Herba</i>
Xiao Hui Xiang	小茴香 (소회향)	<i>Foeniculi, Fructus</i>
Xin Yi Hua	辛夷花 (신이화)	<i>Magnoliae, Flos</i>
Xu Duan	續斷 (속단)	<i>Dipsaci, Radix</i>
Xuan Fu Hua	旋覆花 (선복화)	<i>Inulae, Flos</i>
Xuan Shen	玄蔘 (현삼)	<i>Scrophulariae, Radix</i>

APPENDIX E: EXAMINATION SINGLE HERB LIST

PINYIN	CHINESE (KOREAN)	LATIN PHARMACEUTICAL
Yan Hu Suo	延胡索 (연호색)	<i>Corydalis, Rhizoma</i>
Yi Mu Cao	益母草 (익모초)	<i>Leonuri, Herba</i>
Yi Tang	飴糖 (이당)	<i>Maltosum</i>
Yi Yi Ren	薏苡仁 (의이인)	<i>Coicis, Semen</i>
Yi Zhi ²⁰	益智 (익지)	<i>Alpiniae Oxyphyllae, Fructus</i>
Yin Chen ²¹	茵陳 (인진)	<i>Artemisiae Scopariae, Herba</i>
Yin Yang Huo	淫羊藿 (음양곽)	<i>Epimedii, Herba</i>
Yu Jin	鬱金 (울금)	<i>Curcumae, Tuber</i>
Yuan Zhi	遠志 (원지)	<i>Polygalae, Radix</i>
Ze Lan	澤蘭 (택란)	<i>Lycopi, Herba</i>
Ze Xie	澤瀉 (택사)	<i>Alismatis, Rhizoma</i>
Zhe Bei Mu	浙貝母 (절패모)	<i>Fritillariae Thunbergii, Bulbus</i>
Zhe Shi ²²	赭石 (자석)	<i>Haematitum</i>
Zhen Zhu	珍珠 (진주)	<i>Margarita</i>
Zhi Cao Wu	制草烏 (제초오)	<i>Aconiti Kusnezoffii Praeparata, Radix</i>
Zhi Gan Cao	炙甘草 (자감초)	<i>Glycyrrhizae Praeparata cum Melle, Radix et Rhizoma</i>
Zhi Mu	知母 (지모)	<i>Anemarrhenae, Rhizoma</i>
Zhi Qiao ²³	枳殼 (지각)	<i>Aurantii, Fructus</i>
Zhi Shi	枳實 (지실)	<i>Aurantii, Fructus Immaturus</i>
Zhi Zi	梔子 (치자)	<i>Gardeniae, Fructus</i>
Zhu Ling	豬苓 (저령)	<i>Polyporus</i>
Zhu Ru	竹茹 (죽여)	<i>Bambusae in Taeniis, Caulis</i>
Zi Su Ye ²⁴	紫蘇葉 (자소엽)	<i>Perillae, Folium</i>
Zi Su Zi ²⁵	紫蘇子 (자소자)	<i>Perillae Frutescentis, Fructus</i>
Zi Wan	紫菀 (자원)	<i>Asteris, Radix et Rhizoma</i>

APPENDIX E: EXAMINATION SINGLE HERB LIST

Alternate pinyin names commonly used:

- ¹ Bian Dou 扁豆
- ² Bi Ba 萆苈
- ³ Chun Gen Pi 椿根皮
- ⁴ Sheng Di Huang 生地黃
- ⁵ Bai Dou Kou 白豆蔻
- ⁶ Fen Fang Ji 粉防己, Han Fang Ji 漢防己
- ⁷ Bi Xie 萆薢
- ⁸ Gua Lou Ren 瓜蒌仁
- ⁹ Huang Bai 黃柏
- ¹⁰ Bai Ji Li 白蒺藜
- ¹¹ Bai Hua She 白花蛇
- ¹² Ku Shen Gen 苦參根
- ¹³ Xing Ren 杏仁
- ¹⁴ Long Dan Cao 龍膽草
- ¹⁵ Mai Men Dong 麥門冬
- ¹⁶ Huai Niu Xi 淮牛膝
- ¹⁷ Sang Shen Zi 桑椹子
- ¹⁸ Ye Jiao Teng 夜交藤
- ¹⁹ Tian Men Dong 天門冬
- ²⁰ Yi Zhi Ren 益智仁
- ²¹ Yin Chen Hao 茵陳蒿
- ²² Dai Zhe Shi 代赭石
- ²³ Zhi Ke 枳殼
- ²⁴ Su Ye 蘇葉
- ²⁵ Su Zi 蘇子